Single-Use Flexible Rhinolaryngoscope

BE MORE PRODUCTIVE, WHEREVER YOUR WORK TAKES YOU

Whether you need high-quality imaging and easy connectivity options for the outpatient cinic or a portable grab-and-go solution for when you're called to a consult, Ambu aScope 4 RhinoLaryngo can help you be more productive.

Excellent imaging and connectivity for the diagnostic procedures

The aScope 4 RhinoLaryngo Slim endoscope is designed with a small 3.0 mm outer diameter to help minimize patient discomfort during rhinolaryngoscopy procedures.

The solution includes the high-quality, portable full-HD Ambu aView 2 Advance monitor. The monitor's excellent imaging capabilities combined with the scope's high-bending angles and precise tip motion enable you to identify anatomical structures confidently.

Furthermore, the solution enables you to record images and videos of the procedure, which you can then transfer to the PACS to enable access from your Electric Health Records (EHR) system.

Single-use efficiency streamlines your workflow

The aScope 4 RhinoLaryngo endoscope is a single-use flexible rhinolaryngoscope that helps you be more productive:

- No cost or hassle associated with cleaning and repairs
- Simply take it with you, use it and then discard
- High-quality video imaging that doesn't compromise on the portability you require for consultations outside the clinic
- A brand-new endoscope with the same high quality for every procedure

You can always count on cost transparency with the aScope 4 RhinoLaryngo endoscope.

Ambu® aScope™ 4 RhinoLaryngo Slim



KEY BENEFITS

High quality imaging on the full-HD Ambu[®] aView™ 2 Advance monitor

Wide range of EHR connectivity options

Transfer patient imaging data to PACS

Always ready avoiding any delays

Improves workflow with no hassle of cleaning and repairs

Low investment cost



SPECIFICATIONS

Optical system		
Field of View	85°	
Direction of View	0° (forward viewing)	
Depth of Field	6-50 mm	
Illumination Method	LED	
Insertion portion		
Bending section	130° up, 130° down	
Insertion cord diameter	3.0 mm	
Distal tip diameter	3.5 mm	
Maximum diameter of insertion portion	3.5 mm	
Working length	300 mm	
Operating environment, storage & transportation		
Temperature - transportation	10 - 40° C (50 to 104° F)	
Temperature - operating environment	10 - 40° C (50 to 104° F)	
Temperature - storage	10 - 25° C (50 to 77° F)	
Relative humidity	30 - 85%	
Atmospheric pressure	80 - 109 kPa	
Sterilization		
Method of sterilization	ETO	




aScope 4 RhinoLaryngo Slim is always comfortable to hold thanks to its lightweight and ergonomic design



ORDERING SPECIFICATIONS*

ltem no.	Product	Quantity
510001000 Canada Only 510101000 US Only	aScope 4 RhinoLaryngo Slim	5

Ambu aScope 4 RhinoLaryngo Slim and Ambu aView 2 Advance



Distal tip Contains the camera, light source (two LEDs)



Ambu, Inc. 6721 Columbia Gateway Drive, Suite 200 Columbia, Maryland 21046 Tel. 800 262 8462 Fax 800 262 8673 ambuUSA.com Questions? Contact your Ambu Representative at 800-262-8462 or visit www.ambuUSA.com

LBL - 007097 - V03 - 11/2022 - Ambu USA. Technical data may be modified without further notice.