

## THE SINGLE-USE FLEXIBLE DIGITAL CYSTOSCOPE

### MAXIMIZE PHYSICIAN EFFICIENCY

Scheduling and workflow flexibility to increase daily patient procedures – including last-minute add-ons

### MAXIMIZE STAFF PRODUCTIVITY

Reallocate staff resources from time-consuming reprocessing to patient-focused care

### BUDGET OPTIMIZATION

No repairs or reprocessing costs, and limited capital expenditures while increasing procedural capacity

### SIMPLIFIED COMPLIANCE

Sterile, patient-ready cystoscope without the complexities of reprocessing and monitoring

### PATIENT EXPERIENCE

Expand procedure locations to additional rooms or satellite clinics, and enable image/video review with patients

# Ambu® aScope™ 4 Cysto



## KEY BENEFITS

Consistent quality, a fresh scope every time

Always available and portable – ready for any procedure

Smooth maneuverability to navigate and retroflex easily, even with forceps inserted

Excellent imaging with clear, sharp visuals for easy anatomy identification



Developed by the world leader in single-use endoscopy, the aScope 4 Cysto is a flexible single-use cystoscope designed to enhance productivity and streamline workflow. When paired with the portable 12.8" HD aView™ 2 Advance monitor, this sterile, ready-to-use platform eliminates the need for reprocessing and costly repairs, while allowing for seamless patient throughput in various clinical settings.



To download Instructions For Use for the aScope 4 Cysto, scan the QR code.

# Ambu

## SPECIFICATIONS

### Optical system

Field of view	120°
Depth of field	3 - 100 mm
Illumination method	LED

### Insertion portion

Bending angle*	210° up, 120° down
Insertion cord diameter	16.2 Fr / 5.4 mm (0.21")
Distal end diameter	16.2 Fr / 5.4 mm (0.21")
Maximum diameter of insertion portion	18 Fr / 6.0 mm (0.24")
Working length	390 mm (15.4")

### Working channel

Minimum instrument channel width**	6.6 Fr / 2.2 mm (0.086")
------------------------------------	--------------------------

### Operating environment, storage & transportation

Temperature - transportation	10 - 40 °C (50 to 104 °F)
Temperature - operating environment	10 - 40 °C (50 to 104 °F)
Temperature - storage***	10 - 25 °C (50 to 77 °F)
Relative humidity	30 - 85%
Atmospheric pressure	80 - 109 kPa

### Sterilization

Method of sterilization	ETO
-------------------------	-----

### Material

DEHP phthalates	Does not contain any DEHP phthalates
No allergenic substances	Not made with natural rubber latex

### Dimensions

Weight	158 g
--------	-------

## ORDER SPECIFICATIONS

Dimensions	Item no.	Quantity
Ambu® aScope™ 4 Cysto, Standard Deflection	601001000	5 pcs
Ambu® aScope™ 4 Cysto, Reverse Deflection	600001000	5 pcs
Accessories	Item no.	Quantity
Stopcock 4-Way, 50 psi (3.5 bar). Swivel Nut, Large Bore****	K12-11412	50 pcs
Hemostasis Valve, AccessPLUS™, Large Bore****	K12-11413	25 pcs




\* Please be aware that the bending angle can be affected if the insertion cord is not kept straight or have inserted endoscopic accessories.  
 \*\* There is no guarantee that endoscopic accessories selected solely using this minimum working channel width will be compatible in combination.  
 \*\*\* Storage under higher temperatures may impact shelf life.  
 \*\*\*\* Not available in all countries.



aScope 4 Cysto offers consistent quality every time



High bending angles of 210°/120°



**Ambu** FOREVER FORWARD

Ambu, Inc.  
 6721 Columbia Gateway Drive  
 Suite 200  
 Columbia, MD 21046  
 ambuUSA.com

CE 2797 US: Rx only